

Corkcomfort



**Amazing Designs**  
with the comfort of cork

Nature at your feet



Cork is a natural material that comes from the bark of the cork oak tree, with unique and incomparable qualities that no ingenious human has yet managed to copy or improve. Its cell structure resembles a honeycomb, enabling it to act as a natural thermal and sound insulator and also providing shock absorbing properties.

These exclusive qualities of cork make it ideal to use in flooring, as it grants an exceptional comfort while also being a renewable and sustainable resource.



Over the years, Wicanders has developed floor and wall coverings with exclusive properties due to its innovative Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring was achieved, providing the perfect match between beauty, comfort and durability.

The uniqueness of **Cork**comfort floors was achieved by integrating three cork layers with different purposes. The decorative visual is accomplished by combining various shapes of natural cork, in order to produce thin sheets of veneer full of authenticity and personality. A second, thicker layer of cork provides superior comfort, noise reduction and warmth. The integrated cork underlay reinforces thermal and acoustic properties, resulting in a silent environment and important energy cost savings.




Protective wear layer

Genuine cork veneer

Agglomerated cork  
Step sound reduction,  
warmth & comfort

High density fiberboard

Insulating cork underlay  
Impact sound reduction,  
& thermal reinforcement



# More than just a beautiful floor



## More **silence**

Cork's natural properties make it an excellent sound absorber. **Cork**comfort floors reduce noise transmission between and within rooms, creating a quieter and peaceful environment.



## More **warmth**

The unique thermal insulation features of cork provide an optimal floor temperature all year round, assuring a more warm and comfortable ambiance with energy cost savings.



## More **walking comfort**

**Cork**comfort floors are very comfortable to walk on due to cork's natural and inherent flexibility providing a unique comfort in movement. Even when walking barefoot, a sense of cosiness is felt.



## More **body wellness**

Softer than wood and harder than carpets, the perfect mix to absorb heel strike impacts, relieving leg and back stress, but stable enough to help the foot impulse and decrease the walking fatigue.



## More **impact resistance**

**Cork**comfort floors have the ability to bounce back from hard impacts, which makes them very robust and increases the life span of the flooring.



# Warm & Comfortable


Feel a warm and pleasant touch under your barefoot

# Sustainable & Conscious

The true sustainable flooring

# Stylish & Cosy

A cosy living with the freshness of a modern decor



Amazing Designs  
with the comfort of cork

# The distinctive style of cork flooring


In modern interior design, the creation of spaces with style and personality starts with beautiful and expressive floors. Using and combining different shapes of natural Cork, our team of experts and trendsetters created a unique collection that opens a new approach in decoration, in harmony with nature and human emotions.

The style, charm and sophistication of these genuine natural designs, creates atmospheres full of authenticity and character.

## Floating solution

With the glueless Corkloc® installation system, simply put the planks together and securely click them into place. It is a very quick, safe and clean solution. Available with three different protective finishings: WPS and WRT for residential areas and HPS for commercial areas.


The floating solution is available in tiles of 605x445mm (23 13/16 x 17 1/2") or boards of 905x295mm (35 5/8x11 5/8") and in planks of 1220x140mm (48x5 1/2") and 1230x145mm (48 3/8x5 5/8").



## Glue down solution

The traditional glue down solution provides superior comfort and minimal step sound. Available in 4 different protective finishings: PU Pre-Finished (finish on-site); PU Finished; WRT for residential areas; and HPS for commercial areas (ready to use).

Available in the tile format of 600x300mm (23 5/8x11 13/16"), 450x450mm (17 11/16x17 11/16"), 600x450mm (23 5/8x17 11/16") and in planks of 900x150mm (35 7/16x5 7/8") or 600x150mm (23 5/8x5 7/8") and in the board format of 900x300mm (35 7/16x11 13/16").





# Fashionable

## Modern Chic

Fashionable range has a reinvented cork pattern veneer which confers a distinctive sophistication into modern decoration.

Available in a five color range, from light to dark hues, it offers the perfect balance between chic colors and timeless decoration.



Fashionable Macchiato



**Fashionable Glacier**  
C85J001 - 905 x 295 x 10,5mm | **Floating** WRT  
C15J001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C95J001 - 900 x 300 x 4mm | **Glue down** PU Finished



**Fashionable Cement**  
C85L001 - 905 x 295 x 10,5mm | **Floating** WRT  
C15L001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C95L001 - 900 x 300 x 4mm | **Glue down** PU Finished



**Fashionable Grafite**  
C85M001 - 905 x 295 x 10,5mm | **Floating** WRT  
C15M001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C95M001 - 900 x 300 x 4mm | **Glue down** PU Finished



Fashionable Glacier



**Fashionable Macchiato**  
C85N001 - 905 x 295 x 10,5mm | **Floating** WRT  
C15N001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C95N001 - 900 x 300 x 4mm | **Glue down** PU Finished



**Fashionable Mystic**  
C85K001 - 905 x 295 x 10,5mm | **Floating** WRT  
C15K001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C95K001 - 900 x 300 x 4mm | **Glue down** PU Finished

# Tweedy Saw Cut

## Cottage Style

The Saw Cut look follows the latest trends in cottage style filling every space with a communion of craftsmanship and design.



Tweedy Saw Cut Moon



**Tweedy Saw Cut Moon**  
C86D001 - 905 x 295 x 10,5mm | **Floating** WRT



**Tweedy Saw Cut Suede**  
C86B001 - 905 x 295 x 10,5mm | **Floating** WRT



**Tweedy Saw Cut Eden**  
C86C001 - 905 x 295 x 10,5mm | **Floating** WRT



**Tweedy Saw Cut Cocoa**  
C86E001 - 905 x 295 x 10,5mm | **Floating** WRT

# Tweedy Wood

## Chalet Comfort

Tender elegance in wood looks improve a relaxed space in harmony with raw nature and its soul.



**Tweedy Wood Timide**  
C86H001 - 905 x 295 x 10,5mm | **Floating** WRT



**Tweedy Wood Eden**  
C86G001 - 905 x 295 x 10,5mm | **Floating** WRT



**Tweedy Wood Cocoa**  
C86F001 - 905 x 295 x 10,5mm | **Floating** WRT



Tweedy Wood Coffee



**Tweedy Wood Coffee**  
C86I001 - 905 x 295 x 10,5mm | **Floating** WRT



# Sophisticated

## Refined Modernity

Sophisticated linear veneer perfect to match younger modern ambiances.

Available in two refined hues, suede and cocoa, these visuals follow the latest design trends.



Sophisticated Cocoa



**Sophisticated Suede**  
C86K001 - 905 x 295 x 10,5mm | **Floating** WRT



**Sophisticated Cocoa**  
C86I001 - 905 x 295 x 10,5mm | **Floating** WRT

# Classic

Classic visuals are in harmony with nature and a perfect fit for classic or modern ambiances.

Whether in the ligh beige or dark brown, these visuals, blend with it's surroundings conferring an extra comfort.

All available with the new WPS protective finishing.



**Classic Champagne**  
C85F001 - 905 x 295 x 10,5mm | **Floating** WPS



**Classic Chestnut**  
C85G001 - 905 x 295 x 10,5mm | **Floating** WPS



Classic Champagne



# Essence

Essence Champagne´ natural texture presents every space a relaxed sense of coziness enhanced by it´s soothing color. Available with the new WPS protective finishing.



Essence Champagne  
C85E001 - 905 x 295 x 10,5mm | **Floating** WPS



Essence Champagne

# Linea

Linea´s decor and hues meet modern relaxed interiors. A natural style for restful atmospheres full of authenticity. All available with the new WPS protective finishing.



Linea Chestnut



Linea Champagne  
C85H001 - 905 x 295 x 10,5mm | **Floating** WPS



Linea Chestnut  
C85I001 - 905 x 295 x 10,5mm | **Floating** WPS

This sample image is cut from a larger piece. Decor and shade may vary slightly.



# Skin

## Exotic Style

Following the latest trends, these four elegant visuals convey a sense of modernity allied to Nature’s pure textures.

With a surface similar to a refined natural leather, the magnificent Skin visuals, add an exotic pinch to every room and, at the same time, merge with the surrounding decoration.



**Skin Dark**  
C95B001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Skin Champagne**  
C95W001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Skin Natural**  
C95V001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Skin Timide**  
C95C001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



Skin Dark | beveled



Skin Champagne | beveled



# Crackle

## Earth 's Design

Crackle visuals bring nature indoors through a pattern carved from the depth of a canyon landscape.

Four unique hues from geologic colors were achieved to communicate Earth 's essence to every space.

An alluring natural look to decorate delightful atmospheres.



Crackle Natural | beveled



Crackle Dark  
C95A001 - 450 x 450 x 6mm | Glue down PU Finished | 4 beveled




Crackle Champagne  
C96A001 - 450 x 450 x 6mm | Glue down PU Finished | 4 beveled



Crackle Timide  
C94Y001 - 450 x 450 x 6mm | Glue down PU Finished | 4 beveled



Crackle Natural  
C95D001 - 450 x 450 x 6mm | Glue down PU Finished | 4 beveled



Crackle Dark | beveled



# Volcano

## Erupting Beauty

Volcano decors recreate a lava flow image that has erupted from a magma chamber to the surface. These one of a kind visuals create spaces of an erupting beauty linked to Nature.

Explore the four color range and be dazzled with a reinvented natural phenomenon.



Volcano Champagne | beveled



**Volcano Dark**  
C94Z001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Volcano Silver**  
C95Y001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Volcano Champagne**  
C95Z001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



**Volcano Natural**  
C95X001 - 450 x 450 x 6mm | **Glue down** PU Finished | 4 beveled



Volcano Dark | beveled





# Double Side

## Cork for Life

Interior decoration is now fulfilled with these wonderful two-in-one articles that increase the value of a traditional visual.

Double side visuals have the potential to boost new and daring combinations that can result in unique patterns perfect to embellish original spaces.



**Origins Dark / Traditional**  
 C90A001 - 600 x 300 x 6mm | **Glue down** Double side Sanded



**Origins Medium Light / Traditional**  
 C90B001 - 600 x 300 x 6mm | **Glue down** Double side Sanded



Origins Dark / Medium Light / Traditional



Origins Dark / Traditional



# Personality

## Cosy and relaxed

The harmonious burl pattern is the essence of the Personality visuals, appealing to extremely cosy and comfortable interiors.

The soothing **light colors** grant soft and subtle feelings and the slightly transparent **brown shades** interiors get more expressive but yet maintaining the same cosy feeling.



Personality Moonlight | beveled



**Personality Moonlight**  
P801002 - 905 x 295 x 10,5mm | **Floating** WRT  
P901003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C94H002 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C94H001 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Personality Timide**  
P802002 - 905 x 295 x 10,5mm | **Floating** WRT  
P902003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C93I003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C93I002 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Personality Champagne**  
P805002 - 905 x 295 x 10,5mm | **Floating** WRT  
P905003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C93K003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C93K002 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Personality Eden**  
P806002 - 905 x 295 x 10,5mm | **Floating** WRT  
P906003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C95S001 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled




**Personality Spice**  
P808002 - 905 x 295 x 10,5mm | **Floating** WRT  
P908003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C95U001 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled



**Personality Tea**  
P810002 - 905 x 295 x 10,5mm | **Floating** WRT  
P910003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C95T001 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled



**Personality Chestnut**  
P832002 - 905 x 295 x 10,5mm | **Floating** WRT  
C94X001 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C94X003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C94X002 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



Personality Tea



# Identity

## Cosy sophistication

With the look of a refined wood strip, Identity will give a touch of formal sophistication to any interior decoration. It is available in a wide range of natural colors that perfectly fit in with most decor styles.

The **light shades** are ideal to create casual and peaceful atmospheres.



Identity Champagne | beveled



<b>Identity Moonlight</b>	
I801002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C12N002 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
C92N002 - 900 x 150 x 4mm	<b>Glue down</b> PU Finished   2 beveled
C92N001 - 600 x 450 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I901002 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C92N003 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I201007 - 600 x 300 x 3,2mm	<b>Glue down</b> HPS



<b>Identity Timide</b>	
I802002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C12M001 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
C92M002 - 900 x 150 x 4mm	<b>Glue down</b> PU Finished   2 beveled
C92M001 - 600 x 450 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I902002 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C92M003 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I202007 - 600 x 300 x 3,2mm	<b>Glue down</b> HPS



<b>Identity Champagne</b>	
I805002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C12O001 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
C92O002 - 900 x 150 x 4mm	<b>Glue down</b> PU Finished   2 beveled
C92O001 - 600 x 450 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I905002 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C92O003 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I205007 - 600 x 300 x 3,2mm	<b>Glue down</b> HPS



Identity Tea | beveled



<b>Identity Silver</b>	
I803002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C12Y002 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
I903002 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C92Y001 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I203006 - 600 x 300 x 3,2mm	<b>Glue down</b> HPS



<b>Identity Tea</b>	
I810002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C12R001 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
I910002 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C92R001 - 600 x 450 x 4mm	<b>Glue down</b> PU Finished   4 beveled
C92R002 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
I210003 - 600x 300 x 3,2mm	<b>Glue down</b> HPS



With the appealing **earthy tones**, Identity visuals get dressed with a sophisticated touch which will enrich interior atmospheres.



**Identity Spice**  
I808002 - 905 x 295 x 10,5mm | **Floating** WRT  
C12S001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
I908002 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C92S001 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
I208006 - 600 x 300 x 3,2mm | **Glue down** HPS



**Identity Eden**  
I806002 - 905 x 295 x 10,5mm | **Floating** WRT  
C12P001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
I906002 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C92P001 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
I206005 - 600 x 300 x 3,2mm | **Glue down** HPS



Identity Chestnut



**Identity Chestnut**  
I832002 - 905 x 295 x 10,5mm | **Floating** WRT  
C13G001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C93G002 - 900 x 150 x 4mm | **Glue down** PU Finished | 2 beveled  
C93G001 - 600 x 450 x 4mm | **Glue down** PU Finished | 4 beveled  
I932002 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C93G003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C23G001 - 600 x 300 x 3,2mm | **Glue down** HPS



**Identity Nightshade**  
I821002 - 905 x 295 x 10,5mm | **Floating** WRT  
C12L001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
C92L001 - 600 x 450 x 4mm | **Glue down** PU Finished | 4 beveled  
I921002 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C92L002 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
I221007 - 600 x 300 x 3,2mm | **Glue down** HPS

# Nuances

## Spaces of glamour

Nuances has sprinkles of dark cork granules that create a very charming and refined look. Inviting brown tones that match perfectly this striking pattern will turn your space into a statement of elegance and glamour.



Nuances Mele



**Nuances Mele**  
N813001 - 905 x 295 x 10,5mm | **Floating** WRT



**Nuances Castagna**  
N814001 - 905 x 295 x 10,5mm | **Floating** WRT



# Leather

## Refined elegance

Leather is a visual that blends simplicity with refinement. Its unique and elegant natural structure, combined with three very different colors, is ideal for creation of charming, naïve, rustic or even more sophisticated atmospheres.



Leather Dusk



**Leather Aqua**  
C84B001 - 905 x 295 x 10,5mm | **Floating** WRT



**Leather Nut**  
C84C001 - 905 x 295 x 10,5mm | **Floating** WRT



**Leather Dusk**  
C84D001 - 905 x 295 x 10,5mm | **Floating** WRT

# Slice

## The charming creativity

Handmade cork floors have a particular expressive appearance due to the unique interaction of various cork elements. Slice is the right choice to revive any ambiance and give it a comfortable and contemporary style.



Slice Marble



**Slice Marble**  
C84E001 - 905 x 295 x 10,5mm | **Floating** WRT



**Slice Tea**  
C84F001 - 905 x 295 x 10,5mm | **Floating** WRT



**Slice Brunette**  
C84G001 - 905 x 295 x 10,5mm | **Floating** WRT



# Slate

## Organic Stone Visual

Unique effects and nuances suggest the return to nature through spaces steeped in organic sensations.

The slate visual recreates the stone surface texture with a majestic cork veneer. The perfect tile format of 605x445mm reinforces this effect. Your eye perceives a stone tile but your feet feels the comfortable warmth and pleasant touch of cork.



**Slate Tawny**  
C81E001 - 605 x 445 x 10,5mm | **Floating** WRT



**Slate Arctic**  
C81D001 - 605 x 445 x 10,5mm | **Floating** WRT



**Slate Eclipse**  
C81G001 - 605 x 445 x 10,5mm | **Floating** WRT



Slate Moccaccino



**Slate Moccaccino**  
C81C001 - 605 x 445 x 10,5mm | **Floating** WRT



**Slate Caffè**  
C81A001 - 605 x 445 x 10,5mm | **Floating** WRT



**Slate Algae**  
C81F001 - 605 x 445 x 10,5mm | **Floating** WRT



Slate Eclipse



# Linn

## Vivid Design

Modern designs have an independent and expressive character. The trendy patterns of Linn visuals have unrepeatable shades enlivened by light and dark tones, which gives identity and personality to interior modern decors.



Linn Moon



**Linn Moon**  
C81N001 - 605 x 445 x 10,5mm | **Floating** WRT



**Linn Blush**  
C81O001 - 605 x 445 x 10,5mm | **Floating** WRT



**Linn Cioccolato**  
C81L001 - 605 x 445 x 10,5mm | **Floating** WRT

# Lane

## Cosmopolitan Style

The Lane visual has a quite refreshing look that will add an air of classy sophistication to any room. This interesting design is unique and traditional, maintaining a natural touch but full of modernity.

The innovative plank dimension of 1220x140mm conveys depth and elegance.



Lane Chestnut | beveled



**Lane Timide**  
C83R001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13R001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**Lane Chestnut**  
C83S001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13S001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



# Traces

## Modern Rustic

The Modern Rustic decor is a blend of modern shapes with a casually elegant style that creates a warm and welcoming interior.

Traces visual is aligned with this new tendency and gives a taste of life in closer proximity to nature.



**Traces Moonlight**  
C95P002 - 900 x 150 x 4mm | **Glue down** PU Finished | 2 beveled  
C95P001 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Traces Tea**  
Q810001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14M001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**Traces Spice**  
Q808003 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14N001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



Traces Spice | beveled



**Traces Timide**  
C95Q002 - 900 x 150 x 4mm | **Glue down** PU Finished | 2 beveled  
C95Q001 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Traces Champagne**  
C95O002 - 900 x 150 x 4mm | **Glue down** PU Finished | 2 beveled  
C95O001 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



**Traces Chestnut**  
C95R002 - 900 x 150 x 4mm | **Glue down** PU Finished | 2 beveled  
C95R001 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled



Traces Champagne | beveled



# Reed

## Linear expression

The stripe linear look of Reed visual is perfect to give a natural exotic touch to modern interiors. The optical perspective of continuity is ideal to unify and lengthen spaces.

The narrow plank dimension of 1220x140mm reinforces the optical effect and its elegance.



Reed Meridian | beveled



**Reed Meridian**  
C83T001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13T001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**Reed Barley**  
C83U001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13U001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled

# President

## Handmade art

President is an exclusive handmade cork veneer with a high level of skilled craft work. Only veneer pieces of the finest quality are used for this exclusive pattern. This prevailing dark tone collection will style your space with an elegant character.

The innovative plank dimension of 1220x140mm conveys depth and reinforces its elegance.



President Chocolate | beveled



**President Spice**  
F808002 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14K001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**President Chestnut**  
F832003 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14L001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**President Nightshade**  
F821003 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14J001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



**President Chocolate**  
F831002 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14I001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



# Flock

## Cosy and elegant

This graceful visual with big random virgin cork portions will create an elegant and delightful ambiance. It is available in a wide range of natural colors to perfectly fit in with most decors.

The innovative plank dimension of 1220x140mm conveys depth and reinforces its elegance.



Flock Tea | beveled



### Flock Tea

C83Z002 - 1230 x 145 x 10,5mm | **Floating** WRT | 4 beveled **PLY**  
C83Z001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13Z001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



### Flock Chestnut

C84A002 - 1230 x 145 x 10,5mm | **Floating** WRT | 4 beveled **PLY**  
C84A001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C14A001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



### Flock Chocolate

C83Y002 - 1230 x 145 x 10,5mm | **Floating** WRT | 4 beveled **PLY**  
C83Y001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C13Y001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



### Flock Moonlight

C81X002 - 1230 x 145 x 10,5mm | **Floating** WRT | 4 beveled **PLY**  
C81X001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C11X001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



### Flock Champagne

C81Y001 - 1220 x 140 x 10,5mm | **Floating** WRT | 4 beveled  
C11Y001 - 1220 x 140 x 10,5mm | **Floating** HPS | 4 beveled



Flock Moonlight | beveled



# Originals

## Cork Lovers

There is nothing more original than Nature. Its fascinating surfaces appeal to our senses and will smooth any ambiance. From nature patterns with small cork granules to expressive shapes tailored using big burls of cork, Originals offers a wide variety of looks to bring nature indoors.



<b>Originals Medium Light</b>		
C906006 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished   4 beveled
C906005 - 600 x 300 x 6mm		<b>Glue down</b> Sanded
C906004 - 600 x 300 x 4mm		<b>Glue down</b> PU Finished   4 beveled
C906003 - 600 x 300 x 4mm		<b>Glue down</b> Sanded
C906002 - 600 x 150 x 4mm		<b>Glue down</b> PU Finished   4 beveled
C906001 - 600 x 150 x 4mm		<b>Glue down</b> Sanded   4 beveled



<b>Originals Country</b>		
Ø832004 - 905 x 295 x 10,5mm		<b>Floating</b> WRT
C832001 - 905 x 295 x 10,5mm		<b>Floating</b> WPS
EN02005 - 600 x 300 x 6mm		<b>Glue down</b> Sanded
DN02005 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished
DN02006 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished   4 beveled
RN02004 - 600 x 300 x 4mm		<b>Glue down</b> Sanded
C932001 - 600 x 300 x 4mm		<b>Glue down</b> PU Pre-Finished
RV02012 - 600 x 300 x 4mm		<b>Glue down</b> WRT
C932002 - 600 x 300 x 4mm		<b>Glue down</b> PU Finished   4 beveled



<b>Originals Rhapsody</b>		
Ø825005 - 905 x 295 x 10,5mm		<b>Floating</b> WRT
C125001 - 905 x 295 x 10,5mm		<b>Floating</b> HPS   micro beveled
C925002 - 600 x 300 x 6mm		<b>Glue down</b> Sanded
DN12001 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished
DN12003 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished   4 beveled
RN12002 - 600 x 300 x 4mm		<b>Glue down</b> Sanded
C925001 - 600 x 300 x 4mm		<b>Glue down</b> PU Pre-Finished
RV12007 - 600 x 300 x 4mm		<b>Glue down</b> WRT
C925003 - 600 x 300 x 4mm		<b>Glue down</b> PU Finished   4 beveled
Ø225002 - 600 x 300 x 3,2mm		<b>Glue down</b> HPS



Originals Natural Traditional



<b>Originals Dark</b>		
C905007 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished   4 beveled
C905006 - 600 x 300 x 6mm		<b>Glue down</b> Sanded
C905005 - 600 x 300 x 4mm		<b>Glue down</b> PU Finished   4 beveled
C905004 - 600 x 300 x 4mm		<b>Glue down</b> Sanded
C905003 - 600 x 150 x 4mm		<b>Glue down</b> PU Finished   4 beveled
C905002 - 600 x 150 x 4mm		<b>Glue down</b> Sanded   4 beveled



<b>Originals Traditional Natural</b>		
Ø801007 - 905 x 295 x 10,5mm		<b>Floating</b> WRT
C111001 - 905 x 295 x 10,5mm		<b>Floating</b> HPS   micro beveled
C811001 - 905 x 295 x 10,5mm		<b>Floating</b> WPS
EN01005 - 600 x 300 x 6mm		<b>Glue down</b> Sanded
DN01005 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished
DN01006 - 600 x 300 x 6mm		<b>Glue down</b> PU Pre-Finished   4 beveled
RV10003 - 600 x 300 x 4mm		<b>Glue down</b> WRT
RN01008 - 600 x 300 x 4mm		<b>Glue down</b> Sanded
C902002 - 600 x 300 x 4mm		<b>Glue down</b> PU Pre-Finished
C902005 - 600 x 300 x 4mm		<b>Glue down</b> PU Finished   4 beveled
C902003 - 600 x 150 x 4mm		<b>Glue down</b> Sanded   4 beveled
C902004 - 600 x 150 x 4mm		<b>Glue down</b> PU Finished   4 beveled
Ø201003 - 600 x 300 x 3,2mm		<b>Glue down</b> HPS



Originals Rhapsody





Originals Dawn | beveled



- Originals Shell**  
O824003 - 905 x 295 x 10,5mm | **Floating** WRT  
C924002 - 600 x 300 x 6mm | **Glue down** Sanded  
DN10001 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished  
DN10003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
RN14002 - 600 x 300 x 4mm | **Glue down** Sanded  
C924001 - 600 x 300 x 4mm | **Glue down** PU Pre-Finished  
RV14004 - 600 x 300 x 4mm | **Glue down** WRT  
C924003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled



- Originals Dawn**  
O849003 - 905 x 295 x 10,5mm | **Floating** WRT  
EN13001 - 600 x 300 x 6mm | **Glue down** Sanded  
DN13001 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished  
DN13003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
RN13001 - 600 x 300 x 4mm | **Glue down** Sanded  
C949001 - 600 x 300 x 4mm | **Glue down** PU Pre-Finished  
RV13006 - 600 x 300 x 4mm | **Glue down** WRT  
C949004 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
C949003 - 600 x 150 x 4mm | **Glue down** PU Finished | 4 beveled  
C949002 - 600 x 150 x 4mm | **Glue down** Sanded | 4 beveled



- Originals Accent**  
O841002 - 905 x 295 x 10,5mm | **Floating** WRT  
C141001 - 905 x 295 x 10,5mm | **Floating** HPS | micro beveled  
EN17003 - 600 x 300 x 6mm | **Glue down** Sanded  
DN17002 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished  
DN17003 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C941002 - 600 x 450 x 4mm | **Glue down** PU Finished | 4 beveled  
RN17001 - 600 x 300 x 4mm | **Glue down** Sanded  
C941001 - 600 x 300 x 4mm | **Glue down** PU Pre-Finished  
O941001 - 600 x 300 x 4mm | **Glue down** WRT  
C941003 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled  
O241003 - 600 x 300 x 3,2mm | **Glue down** HPS



- Originals Land**  
C9C2003 - 600 x 300 x 6mm | **Glue down** Sanded  
C9C2004 - 600 x 300 x 6mm | **Glue down** PU Pre-Finished | 4 beveled  
C9C2001 - 600 x 300 x 4mm | **Glue down** Sanded  
C9C2002 - 600 x 300 x 4mm | **Glue down** PU Finished | 4 beveled



Originals Accent | beveled





#### Originals Character

○822002 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C922007 - 900 x 150 x 4mm	<b>Glue down</b> PU Finished   2 beveled
C922006 - 900 x 150 x 4mm	<b>Glue down</b> Sanded   2 beveled
C922002 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
C922003 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished
DN22001 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
RN16001 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C922001 - 600 x 300 x 4mm	<b>Glue down</b> PU Pre-Finished
RV16004 - 600 x 300 x 4mm	<b>Glue down</b> WRT
C922008 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
C922005 - 600 x 150 x 4mm	<b>Glue down</b> PU Finished   4 beveled
C922004 - 600 x 150 x 4mm	<b>Glue down</b> Sanded   4 beveled



#### Originals Boulevard

C9B6001 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C9B6002 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
C9B6003 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
C9B6004 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled



#### Originals Avenue

C9C8001 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C9C8002 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
C9C8003 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
C9C8004 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled







Originals Rock | beveled



**Originals Harmony**

O821005 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C121001 - 905 x 295 x 10,5mm	<b>Floating</b> HPS   micro beveled
C921005 - 900 x 150 x 4mm	<b>Glue down</b> PU Finished   2 beveled
C921004 - 900 x 150 x 4mm	<b>Glue down</b> Sanded   2 beveled
EN11004 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
DN11003 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished
DN11004 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C921002 - 600 x 450 x 4mm	<b>Glue down</b> PU Finished   4 beveled
RN11002 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C921001 - 600 x 300 x 4mm	<b>Glue down</b> PU Pre-Finished
RV11007 - 600 x 300 x 4mm	<b>Glue down</b> WRT
C921003 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled
O221003 - 600 x 300 x 3,2mm	<b>Glue down</b> HPS



**Originals Symphony**

O830003 - 905 x 295 x 10,5mm	<b>Floating</b> WRT
C930002 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
DN20001 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished
DN20003 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
RN20001 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C930001 - 600 x 300 x 4mm	<b>Glue down</b> PU Pre-Finished
RV20002 - 600 x 300 x 4mm	<b>Glue down</b> WRT
C930003 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled



Originals Harmony



**Originals Rock**

C944003 - 600 x 300 x 6mm	<b>Glue down</b> Sanded
C944004 - 600 x 300 x 6mm	<b>Glue down</b> PU Pre-Finished   4 beveled
C944001 - 600 x 300 x 4mm	<b>Glue down</b> Sanded
C944002 - 600 x 300 x 4mm	<b>Glue down</b> PU Finished   4 beveled



# Get the best results with **Wicanders' accessories!**

## Underlays

### Increased comfort and insulation

To reinforce the already amazing insulation properties of cork flooring, Wicanders provides Acousticork, a cork underlay which lets you turn your home into an even cosier space.

Acousticork increases the walking comfort, and also reduces the noise and the heat dispersion. Overall, it makes rooms cosier and more peaceful, which are essential in making any house feel homey.

It is available in two options: agglomerated cork and agglomerated cork with a moisture barrier.



- **High durability and long term resilience**
- **Increases floor thermal insulation**
- **Natural and sustainable product**
- **Easy to handle and install**

## Skirtings

### The perfect match to make a pleasant interior

In order to help to create a more classy and harmonious interior, Wicanders provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colors.

There are skirting profiles available for the complete range of **Corkcomfort** products.

Contact your supplier for information on the available skirting references.



## Maintenance

### Optimal care for an everlasting beauty

To keep your floor spotless, Wicanders has available a set of auxiliary products. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible.

#### REGULAR MAINTENANCE



#### Wicanders Soft Cleaner

This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the embossing of the product.



#### Wicanders Spray Cleaner

Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.

#### PERIODIC MAINTENANCE



#### Wicanders Power Polish

This product is used for periodic maintenance, giving added protection to the floor due to its strong cleaning power. It helps to keep the floor's appearance intact over the years and is especially important to use in high traffic areas.



#### Wicanders Power Strip

The Power Strip is used to clean persistent dirt and to remove old maintenance products, since the accumulation of too many coats of these products can make the floor have an unpleasant look.






# Why is Wicanders cork flooring the perfect choice?

## More silence


Thanks to the acoustic insulation provided by cork, Wicanders floors can easily cut noise within and between rooms.

Comparing the walking sound between cork and laminate floors, tests confirm that cork floors have an exceptional result reducing the sound up to 53%.

Study run by Entwicklungsund Prüflabor Holztechnologie gmbH (EPH) in Germany according to IHD-W 431.



## More warmth



The natural thermal properties of cork make Wicanders floors very energy efficient, providing an optimal temperature all year round.

When testing foot temperature in contact with four different materials, cork floors stand out as being the best solution to retain heat.

Better than wood and by far better than vinyl or ceramic when it comes to avoid energy dispersion.

Study run by IBV biomechanical institute in Valencia, Spain.


## More walking comfort

Cork floors are very comfortable to walk on, due to cork's natural and inherent flexibility, providing a unique comfort in movement.

When testing the level of comfort perception of people walking for 45 minutes over five different materials, results show that Wicanders cork floors have a great outcome.

With high comfort perception, it outperforms linoleum, laminate and ceramic floors.

Study run by IBV biomechanical institute in Valencia, Spain.




## More body wellness


Wicanders floors are stable enough to avoid the leg and back stress that is generated by walking on too hard or too soft floors.

Softer than laminate and harder than carpets, Wicanders cork floors are the perfect mix to reduce heel strike impacts and related body tensions, but stable enough to help the foot impulse and provide the needed stability to reduce effort on walking and decrease body fatigue.

Study run by IBV biomechanical institute in Valencia, Spain.



## More impact resistance



Due to cork's resilience and elasticity, Wicanders floors have the ability to bounce back from hard impacts.

Tests show that Wicanders cork floors have the highest shock absorbing performance.

When an object accidentally falls in a cork or in a laminate floor, different results come through.

Study run by IBV biomechanical institute in Valencia, Spain.

### Fast & Easy Installation

Floating floors are easy and fast to install. And in glue down floors there is no need to have a special subfloor preparation and only require the use of a unilateral glue, so they save time and reduce installation expenses.

### Low & Easy Maintenance

The special surface finishing of **Cork** floors make them easier to clean and maintain.



### Sustainable

Cork comes from the bark of the cork oak tree. It is removed from the trunk by hand without ever damaging the tree. Every year a new bark grows making it a renewable and sustainable resource.







# Think green choose Wicanders®

Wicanders® is a truly sustainable brand! Produced by Amorim, it represents a unique balance between the creation of wealth and the protection of the environment. The starting point is a raw material that is extracted cyclically from the cork oak trees without ever damaging them. This raw material is then transformed into high value-added products while promoting the economic and social sustainability of areas at risk of desertification.

Several eco-efficiency studies, based on a comparative analysis with several other types of flooring, illustrate the excellent environmental performance of Wicanders® products and its manufacturing process. Besides the smaller amounts of energy and raw materials required for the manufacturing process, these products actively contribute to reducing global warming, not only through their low emissions, but also due to cork's natural property of retaining CO<sub>2</sub>.

It is estimated that the Portuguese cork oak forest – montado – is responsible for retaining 5% of the country's annual CO<sub>2</sub> emission, representing 4.8 million tons per year.



## The importance of Cork Oak

The Cork Oak (Quercus Suber L.) is a tree belonging to the Oak family from which Cork is extracted. Its value is based not only on the products extracted from the tree, but on all of the agricultural, forest, pastoral and hunting activities that revolve around the cultivation of the Cork Oak.

Regular extraction of the Cork (a process called stripping) is a fundamental contribution for environmental, economic and social sustainability in the rural areas of the Mediterranean region where the Cork Oak may be found.

The Cork tree is a slow growing tree, which may live for 200 years, which allows it, on average, to be stripped 16 times during its lifetime. The first extraction of cork from the Cork Oak tree occurs only 25 years after planting, following which it is harvested in 9 year cycles, without ever damaging the tree in any way. This method allows the cork oak forest to fulfill its role of fixing CO<sub>2</sub>, thus actively contributing to reduce global warming.

The Cork forest in Portugal (700.000 hectares), known as "Montado", is a typical Iberian Landscape which is key in supporting a natural bio-diversity, including some of the most endangered species in the world: Iberian Lynxes, Imperial Eagles', Black Storks, Wolves and Wild Bears.



## Inspire purity

Having in mind health and environment concerns, Wicanders has developed a Phthalate Free solution for the HPS finishing. Phthalates are substances usually included in plasticizers, which with time can become harmful. By replacing them in the HPS finishing, Wicanders presents a greener and healthier solution that grants improved indoor air quality, while also maintaining the flexibility, transparency and durability of a high performance finish.

# A GIFT FROM NATURE



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/commercial buildings.



Global GreenTagCert™ is an independent certification and rating scheme for green products, recognized by the Green Building Councils of Australia and New Zealand. This certification also allows the products to be listed in the Ecospecifier Global eco-products.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.



The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



Eco Mark is a Japan Environment Association program that promotes environment-friendly lifestyles through wise product choices. This certification analyses criteria for every product category taking into consideration the environment life stage.



# Wicanders' solutions for a perfect floor!

## FINISHINGS

**HPS surface finish** (High Performance Surface) has been specially developed for areas with heavy traffic, such as commercial, business or general public areas. This high performance surface has an extra hard wearing surface combined with Nano-Beads Technology, where extremely tiny beads are embedded in a top layer for improved properties such as scratch, slip, scuff and stain resistance.



**Xtreme WRT surface finish** (Wear Resistance Technology) is the right choice to fit the most demanding needs of domestic areas. This environmental friendly varnish is based on a ceramic compound which ensures exceptional strength and longevity.



**WPS protective finishing** (Wear Protect Surface) was developed with an excellent resistance for the most demanding domestic areas. This varnish has an improved long life span and a soft touch.



For domestic areas that need a natural look and a soft touch, **PU** is the right solution. It is available as a pre-finished, to be completed on site, and a ready to use solution (PU Finished).



For those seeking for a customized solution, the **Sanded** option is what you are looking for. The surface is prepared to be finished on site, so you can select the finish that best suits your needs.



Try our easy floors and enjoy your home!



## INSTALLATION SYSTEMS

### CORKLOC®



#### CORK LOC® 2G

Välinge's 2G locking system is one of the most used and appreciated systems in the world. It is a strong and robust mechanical, glue-free, locking system installed by angling of both long and short side.



#### CORK LOC® FOLD DOWN

The Cork Loc Fold Down system, designed to simplify the installation by a "single-action-movement", is fast and easy to install. One single maneuver and the floor board is installed. This innovative system is available for narrow planks in 1220x140mm.



#### CORK LOC® 5G-C

The 5G-C locking technology is the most advanced type of Fold Down system on the market. It is a single action installation system with angling on the long side and a flexible tongue to fold the short side. The installation with Corkloc 5G-C locking system is faster and easier than conventional locking systems, and it really clicks, giving you a confirming sound. It is available for tiles in 605x445mm.





# Technical solutions & warranty

## Glue down solution

READY TO USE



- 1 HPS varnish
- 2 Hard wearing surface 0,5mm
- 3 Genuine cork veneer 0,8mm
- 4 Agglomerated cork 1,65mm
- 5 Vinyl backing layer 0,25mm

25 YEARS

Home

15 YEARS

Commercial



FINISH ON-SITE



- 1 PU Varnish
- 2 Genuine Cork veneer 0,8mm
- 3 Agglomerated cork 5,2mm

10 YEARS

(a)

Home

5 YEARS

(b)

Commercial





- 1 PU Varnish
- 2 Genuine Cork veneer 0,8mm
- 3 Agglomerated cork 3,2mm

10 YEARS

Home

5 YEARS

(c)

Commercial





- 1 Genuine Cork veneer 0,8mm
- 2 Agglomerated cork 5,2mm

10 YEARS

(c)

Home

5 YEARS

(d)

Commercial





## Floating solution

READY TO USE



- 1 HPS varnish
- 2 Hard wearing surface 0,5mm
- 3 Genuine cork veneer 0,8mm
- 4 Flexible and insulating cork layer 1,7mm
- 5 HDF - high density Fiberboard with CORKLOC® 6mm
- 6 Integrated insulating cork underlay 1,5mm

25 YEARS

Home

15 YEARS

Commercial





- 1 Xtreme WRT varnish
- 2 Genuine cork veneer 0,8mm
- 3 Flexible and insulating cork layer 2,2mm
- 4 HDF - high density Fiberboard with CORKLOC® 6mm
- 5 Integrated insulating cork underlay 1,5mm

15 YEARS

Home

5 YEARS

Commercial





- 1 WPS varnish
- 2 Genuine cork veneer 0,8mm
- 3 Flexible and insulating cork layer 2,2mm
- 4 HDF - high density Fiberboard with CORKLOC® 6mm
- 5 Integrated insulating cork underlay 1,5mm

10 YEARS

Home



(a) Must be varnished on-site with minimum 1-2 coats of W-700 or W-2000 or another recommended varnish • (b) Must be varnished on-site with minimum 1-2 coats of W-2000 or another recommended varnish for this level of use (see recommendation table in the packaging) • (c) Must be varnished on-site with minimum 3 coats of W-700 or W-2000 or another recommended varnish • (d) Must be varnished on-site with minimum 3 coats of W-2000 or another recommended varnish for this level of use (see recommendation table in the packaging).



Corkcomfort Floating					
	WPS	WRT			HPS
Class of use (ISO 10874)	23	31	31	31	33
Dimensions	905 x 295 x 10,5mm	1220 x 140 x 10,5mm	905 x 295 x 10,5mm	605 x 445 x 10,5mm	905 x 295 x 10,5mm
	35 5/8x11 5/8x3/8"	48x5 1/2x3/8"	35 5/8x11 5/8x3/8"	23 13/16x17 ½x3/8"	35 5/8x11 5/8x3/8"
Beveling	No	4 sides	No	No	4 sides micro
Installation system	Cork Loc 2G	Cork Loc Fold Down	Cork Loc 2G	Cork Loc 5G-C	Cork Loc 2G
Commercial Reference					
Tweedy Saw Cut Moon			C86D001		
Tweedy Saw Cut Suede			C86B001		
Tweedy Saw Cut Eden			C86C001		
Tweedy Saw Cut Cocoa			C86E001		
Tweedy Wood Timide			C86H001		
Tweedy Wood Eden			C86G001		
Tweedy Wood Cocoa			C86F001		
Tweedy Wood Coffee			C86I001		
Sophisticated Suede			C86K001		
Sophisticated Cocoa			C86J001		
Originals Country	C832001		C832004		
Originals Rhapsody			C825005		C125001
Originals Natural	C811001		C801007		C111001
Originals Shell			C824003		
Originals Dawn			C849003		
Originals Accent			C841002		C141001
Originals Character			C822002		
Originals Harmony			C821005		C121001
Originals Symphony			C830003		
Classic Champagne	C85F001				
Classic Chestnut	C85G001				
Essence Champagne	C85E001				
Linea Champagne	C85H001				
Linea Chestnut	C85I001				
Personality Moonlight			P801002		
Personality Timide			P802002		
Personality Champagne			P805002		
Personality Eden			P806002		
Personality Spice			P808002		
Personality Tea			P810002		
Personality Chestnut			P832002		
Identity Moonlight			I801002		C12N002
Identity Timide			I802002		C12M001
Identity Champagne			I805002		C12O001
Identity Silver			I803002		C12Y002
Identity Eden			I806002		C12P001
Identity Spice			I808002		C12S001
Identity Tea			I810002		C12R001
Identity Chestnut			I832002		C13G001
Identity Nightshade			I821002		C12L001
Nuances Mele			N813001		
Nuances Castagna			N814001		
Slice Marble			C84E001		
Slice Tea			C84F001		
Slice Brunette			C84G001		
Leather Aqua			C84B001		
Leather Nut			C84C001		
Leather Dusk			C84D001		

Corkcomfort Floating						
	WRT				HPS	
Class of use (ISO 10874)	31	31	31	31	33	33
Dimensions	1230 x 145 x 10,5mm	1220 x 140 x 10,5mm	905 x 295 x 10,5mm	605 x 445 x 10,5mm	905 x 295 x 10,5mm	1220 x 140 x 10,5mm
	48 3/8x5 5/8"x7/16"	48x5 1/2x3/8"	35 5/8x11 5/8x3/8"	23 13/16x17 ½x3/8"	35 5/8x11 5/8x3/8"	48x5 1/2x3/8"
Beveling	4 sides	4 sides	No	No	4 sides micro	4 sides
Installation system	Tongue & Groove Ply	Cork Loc Fold Down	Cork Loc 2G	Cork Loc 5G-C	Cork Loc 2G	Cork Loc Fold Down
Commercial Reference						
Fashionable Glacier			C85J001		C15J001	
Fashionable Cement			C85L001		C15L001	
Fashionable Grafite			C85M001		C15M001	
Fashionable Macchiato			C85N001		C15N001	
Fashionable Mystic			C85K001		C15K001	
Slate Tawny				C81E001		
Slate Moccaccino				C81C001		
Slate Caffè				C81A001		
Slate Algae				C81F001		
Slate Arctic				C81D001		
Slate Eclipse				C81G001		
Linn Moon				C81N001		
Linn Blush				C81O001		
Linn Cioccolato				C81L001		
Lane Timide		C83R001				C13R001
Lane Chestnut		C83S001				C13S001
Traces Tea		Q810001				C14M001
Traces Spice		Q808003				C14N001
Reed Meridian		C83T001				C13T001
Reed Barley		C83U001				C13U001
Flock Moonlight	C81X002	C81X001				C11X001
Flock Champagne		C81Y001				C11Y001
Flock Tea	C83Z002	C83Z001				C13Z001
Flock Chestnut	C84A002	C84A001				C14A001
Flock Chocolate	C83Y002	C83Y001				C13Y001
President Spice		F808002				C14K001
President Chestnut		F832003				C14L001
President Chocolate		F831002				C14J001
President Nightshade		F821003				C14I001








Product Selector

Corkcomfort Glue down								
	WRT	Sanded					PU Pre-Finished	
Class of use (ISO 10874)	31	23 (a)	23 (a); 31 (b)	23 (a); 31 (b)	23 (a)	23 (a)	23 (c); 31 (d)	23 (c); 31 (d)
Dimension	600 x 300 x 4mm	600 x 150 x 4mm	600 x 300 x 4mm	600 x 300 x 6mm	600 x 450 x 4mm	900 x 150 x 4mm	600 x 300 x 4mm	600 x 300 x 6mm
	23 5/8x11 13/16x3/16"	23 5/8x5 7/8x3/16"	23 5/8x11 13/16x3/16"	23 5/8x11 13/16x¼"	23 5/8x17 11/16x3/16"	35 7/16x5 7/8x3/16"	23 5/8x11 13/16x3/16"	23 5/8x11 13/16x¼"
Beveling	No	4 sides	No	No	4 sides	2 sides	No	No
Commercial Reference								
Originals Country	RV02012		RN02004	EN02005			C932001	DN02005
Originals Rhapsody	RV12007		RN12002	C925002			C925001	DN12001
Originals Natural	RV10003							
Originals Traditional			RN01008	EN01005			C902002	DN01005
Originals Medium Light		C906001	C906003	C906005				
Originals Dark		C905002	C905004	C905006				
Originals Shell	RV14004		RN14002	C924002			C924001	DN10001
Originals Dawn	RV13006	C949002	RN13001	EN13001			C949001	DN13001
Originals Accent	O941001		RN17001	EN17003			C941001	DN17002
Originals Land			C9C2001	C9C2003				
Originals Character	RV16004	C922004	RN16001	C922002		C922006	C922001	C922003
Originals Boulevard			C9B6001	C9B6003				
Originals Avenue			C9C8001	C9C8003				
Originals Harmony	RV11007		RN11002	EN11004		C921004	C921001	DN11003
Originals Symphony	RV20002		RN20001	C930002			C930001	DN20001
Originals Rock			C944001	C944003				
Originals Dark / Traditional								
Originals Medium Light / Traditional								
Personality Moonlight								
Personality Timide								
Personality Champagne								
Personality Eden								
Personality Spice								
Personality Tea								
Personality Chestnut								
Identity Moonlight								
Identity Timide								
Identity Champagne								
Identity Silver								
Identity Eden								
Identity Spice								
Identity Tea								
Identity Chestnut								
Identity Nightshade								
Fashionable Glacier								
Fashionable Cement								
Fashionable Grafite								
Fashionable Macchiato								
Fashionable Mystic								
Traces Moonlight								
Traces Timide								
Traces Champagne								
Traces Chestnut								
Skin Dark								
Skin Champagne								
Skin Natural								
Skin Timide								
Crackle Dark								
Crackle Champagne								
Crackle Timide								
Crackle Natural								
Volcano Dark								
Volcano Silver								
Volcano Champagne								
Volcano Natural								







(a) Must be varnished on-site with minimum 3 coats of w-700 or w-2000 or another recommended varnish  
(b) Must be varnished on-site with minimum 3 coats of w-2000 or another recommended varnish for this level of use (see recommendation table in the packaging)  
(c) Must be varnished on-site with minimum 1-2 coats of w-700 or w-2000 or another recommended varnish  
(d) Must be varnished on-site with minimum 1-2 coats of w-2000 or another recommended varnish for this level of use (see recommendation table in the packaging)

	Corkcomfort Glue down							
PU Pre-Finished	PU Finished						HPS	Double Side Sanded
23 (c); 31(d)	23	23	23	23	23	23	42	23 (a); 31 (b)
600 x 300 x 6mm	450 x 450 x 6mm	600 x 150 x 4mm	600 x 300 x 4mm	600 x 450 x 4mm	900 x 150 x 4mm	900 x 300 x 4mm	600 x 300 x 3,2mm	600 x 300 x 6mm
23 5/8x11 13/16x¼"	17 11/16x17 11/16x¼"	23 5/8x5 7/8x3/16"	23 5/8x11 13/16x3/16"	23 5/8x17 11/16x3/16"	35 7/16x5 7/8x3/16"	35 7/16x11 13/16x3/16"	23 13/16x17 ½x3/8"	23 5/8x11 13/16x¼"
4 sides	4 sides	4 sides	4 sides	4 sides	2 sides	No	No	No
DN02006			C932002					
DN12003			C925003				O225002	
							O201003	
DN01006								
C906006		C906002	C906004					
C905007		C905003	C905005					
DN10003			C924003					
DN13003		C949003	C949004					
DN17003			C941003	C941002			O241003	
C9C2004			C9C2002					
DN22001		C922005	C922008		C922007			
C9B6004			C9B6002					
C9C8004			C9C8002					
DN11004			C921003	C921002	C921005		O221003	
DN20003			C930003					
C944004			C944002					
								C90A001
								C90B001
P901003		C94H001	C94H002					
P902003		C93I002	C93I003					
P905003		C93K002	C93K003					
P906003			C95S001					
P908003			C95U001					
P910003			C95T001					
C94X001		C94X002	C94X003					
I901002			C92N003	C92N001	C92N002		I201007	
I902002			C92M003	C92M001	C92M002		I202007	
I905002			C92O003	C92O001	C92O002		I205007	
I903002			C92Y001				I203006	
I906002			C92P001				I206005	
I908002			C92S001				I208006	
I910002			C92R002	C92R001			I210003	
I932002			C93G003	C93G001	C93G002		C23G001	
I921002			C92L002	C92L001			I221007	
						C95I001		
						C95L001		
						C95M001		
						C95N001		
						C95K001		
		C95P001			C95P002			
		C95Q001			C95Q002			
		C95O001			C95O002			
		C95R001			C95R002			
	C95B001							
	C95W001							
	C95V001							
	C95C001							
	C95A001							
	C96A001							
	C94Y001							
	C95D001							
	C94Z001							
	C95Y001							
	C95Z001							
	C95X001							



Corkcomfort Floating					
			WRT	HPS	WPS
			905x295x10,5mm   35 5/8x11 5/8x3/8" 605x445x10,5mm   23 13/16x17 1/2x3/8" 1220x140x10,5mm   48x5 1/2x3/8"	905x295x10,5mm   35 5/8x11 5/8x3/8" 1220x140x10,5mm   48x5 1/2x3/8"	905x295x10,5mm   35 5/8x11 5/8x3/8"
Level of use Domestic	ISO 10874	Class	23 	23 	23 
Level of use Commercial	ISO 10874	Class	31 	33 	-
Level of use Industrial	ISO 10874	Class	-	-	-
Finish Description	-	-	UV-cured Acrylic varnish with ceramic beads	UV-cured Acrylic varnish with nano particles	UV Acrylic varnish
	Standard- Test Method	Unit	Specification		
General Properties - EN 14085 + EN 12104 + EN 655					
Dimensions:	EN ISO 24346	mm	± 0,10% up to Width : max. 0,5 mm Length: max. 2,0 mm	± 0,10% up to Width : max. 0,5 mm Length: max. 2,0 mm	± 0,10% up to Width : max. 0,5 mm Length: max. 2,0 mm
Overall thickness	EN ISO 24346	mm	± 0,25	± 0,25	± 0,25
Squareness	EN ISO 24346	mm	≤ 0,50	≤ 0,50	≤ 0,50
Straightness measured at the surface layer	EN ISO 24346	mm	≤ 0,30	≤ 0,30	≤ 0,30
Squareness and Straightness: ≤ 400mm > 400mm	EN ISO 24346	mm	-	-	-
Wear layer density	EN ISO 23996	Kg/m³	-	nominal value (1360) ± 50	-
Thickness of agglomerated composition cork base	EN ISO 24340	mm	-	-	-
Thickness of polyvinylchloride backing (average)	EN ISO 24340	mm	-	-	-
Thickness of cork floor tile	EN ISO 24346	mm	-	-	-
Flatness of the panel Length: Concave / convex Width: Concave / convex	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0 ≤ 0,10 / ≤ 0,15	≤ 0,50 / ≤ 1,0 ≤ 0,10 / ≤ 0,15	≤ 0,50 / ≤ 1,0 ≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20	≤ 0,20	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20	≤ 0,20	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5	≤ 5	≤ 5
Dimensional stability after exposure to heat	EN ISO 23999	%	-	-	-
Curling after exposure to heat	EN ISO 23999	mm	-	-	-
Moisture content	EN 12105	%	-	-	-
Peel resistance	EN ISO 24345	N/50mm	-	≥ 35	-
Mass per unit area	ISO 23997	g/m²	nominal value (8000) -10%; +13%	nominal value (8500) -10%; +13%	nominal value (8000) -10%; +13%
Apparent density	EN 672	Kg/m³	-	-	-
Classification Properties - EN 14085 + EN 12104 + EN 655					
Nominal thickness for cork surface	EN ISO 24340	mm	≥ 3,0	-	≥ 2,5
Wearing Group	EN 660-2	Fv(mm3)	-	Wear group T	-
Thickness of wear layer (Wear group T)	EN ISO 24340	mm (Nominal value)	-	≥ 0,5	-
Overall thickness	EN ISO 24346	mm	-	-	-
Apparent density	EN 672	Kg/m³	-	-	-
Castor chair	EN 425	Visual effect after 25 000 cycles	No disturbance to the surface other than slight change in appearance and no delamination shall occur	No disturbance to the surface other than slight change in appearance and no delamination shall occur	-
Simulated movement of a furniture leg	EN 424	Visual effect	No damage shall be visible after testing with a type 2 foot	No damage shall be visible after testing with a type 2 foot	-
Residual indentation	EN ISO 24343-1	mm	≤ 0,40	≤ 0,25	≤ 0,40
Safety properties - EN 14041					
Fire resistance	EN 13501-1	Class	E <sub>fl-s1</sub>	B <sub>fl-s1</sub>	E <sub>fl-s1</sub>
Slip Classification	EN 13893	Class	DS	DS	DS
Formaldehyde emission	EN 717-1	Class	E1	E1	E1
Electrical behaviour	EN 1815	KV	Not Antistatic	Not Antistatic	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 Annex B	mg/Kg	PCP Free	PCP Free	PCP Free
Optional properties					
Stains Resistance	ISO 26987(a)	Grade (b)	Grade 0 (4 for acetone)	Grade 0	-
Thermal resistance	EN 12667	(m²K)/W	R≤ 0,150	R≤ 0,150	R≤ 0,150
Impact sound reduction	ISO 140-8	dB (Δ L <sub>w</sub> )	16	16	-
Reduction improvement	EPH/IHD Works Standard 431	dB(A)	13.2	11.1	-
Difference of Loudness		%	51.6	53.3	-
Gloss	Glossmeter (60°)	Degrees Gardner(°G)	12±3°	12±3°	-

(a) The following products were tested: Disinfectant, Ethanol, Ammonia Solution, Citric acid, Iodine, Cleaning benzine. (b) Grade 0 = Unchanged; Grade 1 = Very little change; Grade 2 = Little change; Grade 3 = Change; Grade 4 = Strong change. (c) Must be varnished on-site with minimum 1-2 coats of W-700 or W-2000 or another recommended varnish

Corkcomfort Glue down				
WRT	HPS	PU Pre-Finished	PU Finished	Sanded
600x300x4mm   23 5/8x11 13/16x3/16"	600x300x3,2mm   23 13/16x17 1/2x3/8"	600x300x4mm   23 5/8x11 13/16x3/16" 600x300x6mm   23 5/8x11 13/16x1/4"	900x300x4mm   35 7/16x11 13/16x3/16" 900x150x4mm   35 7/16x5 7/8x3/16" 600x450x4mm   23 5/8x17 11/16x3/16" 600x300x4mm   23 5/8x11 13/16x3/16" 600x150x4mm   23 5/8x5 7/8x3/16" 450x450x6mm   17 11/16x17 11/16x1/4"	600x150x4mm   23 5/8x5 7/8x3/16" 600x300x4mm   23 5/8x11 13/16x3/16" 600x300x6mm   23 5/8x11 13/16x1/4" 600x450x4mm   23 5/8x17 11/16x3/16" 900x150x4mm   35 7/16x5 7/8x3/16"
23 	23 	23 (c) 	23 	23 (e) 
31 	33 	31 (d) 		31 (f) 
-	42 	-		-
UV-cured Acrylic varnish with ceramic beads	UV-cured Acrylic varnish with nano particles	Water based PU varnish (2 varnish layers)	Water based PU varnish	Sanded Surface
Specification				
General Properties - EN 14085 + EN 12104 + EN 655				
≤ 0,2% up to max. 1,0mm	≤ 0,13% up to max. 0,5 mm	≤ 0,2% up to max. 1,0mm	≤ 0,2% up to max. 1,0mm	≤ 0,2% up to max. 1,0mm
0; + 0,25	± 0,20	0; + 0,25	0; + 0,25	0; + 0,25
-	-	-	-	≤ 0,5
-	-	-	-	≤ 1,0
≤ 0,5 ≤ 1,0	≤ 0,25 ≤ 0,35	≤ 0,5 ≤ 1,0	≤ 0,5 ≤ 1,0	≤ 0,5 ≤ 1,0
-	nominal value (1360) ± 50	-	-	-
-	2,5	-	-	-
-	(0,25mm) ± 10%	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
≤ 0,4	≤ 0,4	≤ 0,4	≤ 0,4	≤ 0,4
≤ 6	≤ 6	≤ 6	≤ 6	≤ 6
3.5-4.5	-	3.5-4.5	-	3.5-4.5
-	≥ 35	-	-	-
nominal value (2000) ± 10%	nominal value (2800) +13%; -10%	4mm: nominal value 1800+ - 10% 6mm: nominal value 2700 + - 10%	4mm: nominal value 1800+ - 10% 6mm: nominal value 2700 + - 10%	-
≥ 95% of nominal value (450)	-	≥ 95% of nominal value (450)	≥ 95% of nominal value (450)	≥ 95% of nominal value (450)
Classification Properties - EN 14085 + EN 12104 + EN 655				
-	-	-	-	-
-	Wear group T	-	-	-
-	≥ 0,5	-	-	-
≥ 4,0	≥ 3,0	≥ 4,0	≥ 4,0	-
≥ 450	-	≥ 450	≥ 450	-
-	No disturbance to the surface other than slight change in appearance and no delamination shall occur	-	No disturbance to the surface other than slight change in appearance and no delamination shall occur	-
-	No damage shall be visible after testing with a type 2 foot	-	No damage shall be visible after testing with a type 2 foot	-
≤ 0,40	≤ 0,20	≤ 0,40	≤ 0,40	≤ 0,40
Safety properties - EN 14041				
D <sub>fl-s1</sub>	B <sub>fl-s1</sub>	C <sub>fl-s1</sub>	4mm: C <sub>fl-s1</sub> / 6mm: D <sub>fl-s1</sub>	C <sub>fl-s1</sub>
DS	DS	DS	DS	-
E1	E1	E1	E1	E1
Not Antistatic	Not Antistatic	Not Antistatic	Not Antistatic	Not Antistatic
PCP Free	PCP Free	PCP Free	PCP Free	PCP Free
Optional properties				
Grade 0	Grade 0	-	Grade 0 (Acetone grau 3; Iodine grau 2)	-
R≤ 0,150	R≤ 0,150	R≤ 0,150	R≤ 0,150	R≤ 0,150
-	9	15	4mm: 13 / 6mm: 14	12
-	15,1	-	4mm: 15,3 / 6mm: 17,2	-
-	59	-	4mm: 65 / 6mm: 69	-
12±3°	12±3°	-	-	-

(d) Must be varnished on-site with minimum 1-2 coats of W-2000 or another recommended varnish for this leve of use (see recommendation table in the packaging). (e) Must be varnished on-site with minimum 3 coats of W-700 or W-2000 or another recommended varnish. (f) Must be varnished on-site with minimum 3 coats of W-2000 or another recommended varnish for this leve of use (see recommendation table in the packaging). (g) Slab with Corkcomfort Floating WRT, reduces in 3dB the step sound when compared with the reference slab.





Produced by Amorim, the worldwide market leader in cork products, Wicanders matches nature's most pure values with avant-garde technologies to provide high quality, ecologic and stylish flooring. Wicanders has an unsurpassed reputation for developing high

standard and unique comfortable flooring solutions, following the latest decoration tendencies and targeting both residential and commercial market segments.

Wicanders is truly a sustainable brand!

[www.wicanders.com](http://www.wicanders.com)



<b>DE</b>	Amorim Deutschland GmbH (+49) 4221 5 93-01 .....	<a href="mailto:germany.ar.de@amorim.com">germany.ar.de@amorim.com</a>
<b>NL/BE/LU</b>	Amorim Benelux B.V. (+31) 166 604 111 .....	<a href="mailto:info.ar.nl@amorim.com">info.ar.nl@amorim.com</a>
<b>AT</b>	Amorim Deutschland GmbH (+43) 1 54 51 65 10 .....	<a href="mailto:austria.ar.de@amorim.com">austria.ar.de@amorim.com</a>
<b>CH</b>	Amorim Flooring Switzerland AG (+41) 41 726 20 20 .....	<a href="mailto:info@amorim.ch">info@amorim.ch</a>
<b>PT</b>	Amorim Revestimentos, S.A. (+351) 227 475 600 .....	<a href="mailto:geral.ar@amorim.com">geral.ar@amorim.com</a>
<b>ES</b>	Amorim Revestimentos, S.A. (+34) 902 307 407 .....	<a href="mailto:info.ar.es@amorim.com">info.ar.es@amorim.com</a>
<b>FR</b>	Amorim Revestimentos, S.A. (+33) 800 914 848 .....	<a href="mailto:info.ar.fr@amorim.com">info.ar.fr@amorim.com</a>
<b>CN</b>	Amorim Revestimentos, S.A. (+85) 366 625 06 .....	<a href="mailto:info.ar.cn@amorim.com">info.ar.cn@amorim.com</a>
<b>JP</b>	Amorim Japan Corporation (+81) 035 575 69 09 .....	<a href="mailto:amorimjapan.ar@amorim.com">amorimjapan.ar@amorim.com</a>
<b>DK</b>	Timberman Denmark A/S (+45) 995 252 52 .....	<a href="mailto:timberman@timberman.dk">timberman@timberman.dk</a>
<b>PL</b>	Dom Korkowy, Sp. z o.o. (+48) 126 379 639 .....	<a href="mailto:krakow@domkorkowy.pl">krakow@domkorkowy.pl</a>
<b>US</b>	Amorim Flooring North America (+1) 410 553 60 62 .....	<a href="mailto:info.ar.us@amorim.com">info.ar.us@amorim.com</a>
<b>RU</b>	Amorim Revestimentos, S.A. (+7) 495 280 7860 .....	<a href="mailto:info.ar.ru@amorim.com">info.ar.ru@amorim.com</a>



**HeadQuarters**

Amorim Revestimentos S.A.  
(+351) 227 475 600  
[geral.ar@amorim.com](mailto:geral.ar@amorim.com)

